

# BR 65

*Tempest*








## TECHNICAL SPECIFICATION

Length o.a.:	<b>6.50 mt</b>
Beam o.a.:	<b>2,57 mt</b>
Tube diameter:	<b>0,52 mt max</b>
Dry weight (approx.):	<b>1060 kg</b>
Max people on board:	<b>n. 10</b>
Max engine power:	<b>200 HP (1 XL)</b>
Propulsion:	<b>Outboard</b>
Certification CE:	<b>C</b>
Tube:	<b>Neoprene Hypalon Orca® 1670 dtex</b>



## STANDARD EQUIPMENTS

- Cuscineria / Deck upholstery
- Pannello elettrico / Electric panel;
- Luci navigazione / Navigation lights;
- Parabrezza cristallo e plexiglass / Glass and plexiglass windscreen;
- Plancia poppa integrata / Integrated stern platform;
- Pompa sentina / Bilge pump;
- Rivestimento flexiteek trincarini e gradino prua / Flexiteek covering on stringers and bow step;
- Scaletta / Ladder
- Serbatoio / Fuel tank lt 220;
- Tavolo / Table;
- Porta-bicchieri / Glass-holder;
- Tergicristallo tribordo / Starboard wiper

## OPTIONAL EQUIPMENTS

- Asta sci / Ski pole
- Completamento cuscineria prua / Additional fore sunbathing kit
- Doccia (lt 45) / Shower (lt 45)
- Frigorifero a cassetto (lt 16) / Drawer fridge (lt 16)
- Radio / Radio
- Rivestimento flexiteek pozzetto (include pozzetto e secondo gradino prua) / Flexiteek covering on cockpit (stern platform and second bow step included)
- Telo copripozzetto / Stern area cover
- Telo ricovero / Boat storage cover
- Tendalino / SS bimini top
- Tergicristallo babordo / Port wiper
- Timoneria idraulica sea star / Sea star hydraulic steering

All features and data concerning the whole production are not binding.  
Cantieri Capelli reserves the right to modify them without advance notice