

tempest
easyline





tempest625easy

Design by Roberto Curtò

TECHNICAL FEATURES

LENGTH O.A.	6,25 mt
BEAM O.A.	2,64 mt
TUBE DIAMETER	0,56 mt max
WEIGHT (approx.)	700 kg
MAX PEOPLE ON BOARD	N° 12
ENGINES	1L
MAX POWER	175 HP
CERTIFICATION CE	C
TUBE	Neoprene-Hypalon ORCA®1670 dtex

STD EQUIPMENT

CONSOLLE DI GUIDA/STEERING CONSOLE - GONFIATORE/INFLATING PUMP - MUSONE DI PRUA IN VTR/GRP BOW PYLON
 PANCA GUIDA IN VTR/GRP STEERING BENCH - PANNELLO ELETTRICO/ELECTRIC PANEL - POMPA DI SENTINA AUTOMATICA/AUTOMATIC BILGE PUMP
 SCALETTA/LADDER - SERBATOIO BENZINA/FUEL TANK (CIRCA/APPROX 135 LT)

OPT EQUIPMENT

ASTA DA SCI/SKI POLE - CUSCINERIA DI PRUA/FORE SUNDECK CUSHIONS - C/CONSOLLE E PANCA/CONSOLE AND BENCH COVER
 DOCCIA/SHOWER (45 LT) - KIT PLANCETTE DI POPPA CON FLEXITEEK/STERN PLATFORM KIT WITH FLEXITEEK
 LUCI DI NAVIGAZIONE SU ROLLBAR/NAVIGATION LIGHTS ON ROLLBAR - PANCA GUIDA LEANING POST/LEANING POST
 RIVESTIMENTO FLEXITEEK POZZETTO/FLEXITEEK PLANKING ON COCKPIT - RIVESTIMENTO FLEXITEEK TRINCARINI/FLEXITEEK PLANKING ON STRINGERS
 ROLLBAR INOX/SS A-FRAME - TELO RICOVERO/BOAT STORAGE COVER - TENDALINO PER ROLLBAR/SUNSHADE ARCH FOR A-FRAME
 TENDALINO/SUNSHADE ARCH - TIMONERIA IDRAULICA/HYDRAULIC STEERING



tempest570easy

Design by Roberto Curtò

TECHNICAL FEATURES

LENGTH O.A.	5,70 mt
BEAM O.A.	2,60 mt
TUBE DIAMETER	0,56 mt max
WEIGHT (approx.)	550 kg
MAX PEOPLE ON BOARD	N° 10
ENGINES	1L
MAX POWER	135 HP
CERTIFICATION CE	C
TUBE	Neoprene-Hypalon ORCA®1100 dtex

STD EQUIPMENT

CONSOLE DI GUIDA/STEERING CONSOLE - GONFIATORE/INFLATING PUMP - MUSONE DI PRUA IN VTR/GRP BOW PYLON
 PANCA GUIDA IN VTR/GRP STEERING BENCH - PANNELLO ELETTRICO/ELECTRIC PANEL
 POMPA DI SENTINA AUTOMATICA/AUTOMATIC BILGE PUMP - SCALETTA/LADDER - SERBATOIO BENZINA/FUEL TANK (CIRCA/APPROX 86 LT)

OPT EQUIPMENT

ASTA DA SCI/SKI POLE - CUSCINERIA DI PRUA/FORE SUNDECK CUSHIONSC/CONSOLLE E PANCA/CONSOLE AND BENCH COVER
 DOCCIA/SHOWER (45 LT) - LUCI DI NAVIGAZIONE SU ROLLBAR/NAVIGATION LIGHTS ON ROLLBAR
 PANCA GUIDA LEANING POST/LEANING POST - ROLLBAR INOX/SS A-FRAME - TELO RICOVERO/BOAT STORAGE COVER
 TENDALINO PER ROLLBAR/SUNSHADE ARCH FOR A-FRAME - TENDALINO/SUNSHADE ARCH



tempest505easy

TECHNICAL FEATURES

LENGTH O.A.	5,05 mt
BEAM O.A.	2,32 mt
TUBE DIAMETER	0,53 mt max
WEIGHT (approx.)	400 kg
MAX PEOPLE ON BOARD	N° 9
ENGINES	1 L
MAX POWER	110 HP
CERTIFICATION CE	C
TUBE	Neoprene-Hypalon ORCA®1100 dtex

STD EQUIPMENT

CONSOLE DI GUIDA/STEERING CONSOLE - GONFIATORE/INFLATING PUMP
 MUSONE DI PRUA IN VTR/GRP BOW PYLON - PANCA GUIDA IN VTR/GRP STEERING BENCH
 PANNELLO ELETTRICO/ELECTRIC PANEL
 POMPA DI SENTINA AUTOMATICA/AUTOMATIC BILGE PUMP - SCALETTA/LADDER

OPT EQUIPMENT

CUSCINERIA DI PRUA/FORE SUNDECK CUSHIONS - C/CONSOLE/CONSOLE COVER
 DOCCIA/SHOWER (55 LT) - LUCI DI NAVIGAZIONE SU ROLLBAR/NAVIGATION LIGHTS ON ROLLBAR
 ROLLBAR INOX/SS A-FRAME - SERBATOIO BENZINA/FUEL TANK (CIRCA/APPROX 53 LT)
 TELO RICOVERO/BOAT STORAGE COVER
 TENDALINO PER ROLLBAR/SUNSHADE ARCH FOR A-FRAME - TENDALINO/SUNSHADE ARCH



tempest425easy

TECHNICAL FEATURES

LENGTH O.A.	4,22 mt
BEAM O.A.	2,02 mt
TUBE DIAMETER	0,45 mt max
WEIGHT (approx.)	290 kg
MAX PEOPLE ON BOARD	N° 6
ENGINES	1 L
MAX POWER	40 HP
CERTIFICATION CE	C
TUBE	Neoprene-Hypalon ORCA®1100 dtex

STD EQUIPMENT

CONSOLE DI GUIDA/STEERING CONSOLE - GONFIATORE/INFLATING PUMP
 PANCA GUIDA IN VTR/GRP STEERING BENCH - PANNELLO ELETTRICO/ELECTRIC PANEL
 POMPA DI SENTINA AUTOMATICA/AUTOMATIC BILGE PUMP
 STROZZASCOTTE IN GOMMA PRUA/GUM BOW ROLLER

OPT EQUIPMENT

CUSCINERIA DI PRUA (SOLO PUNTALE)/FORE SUNDECK CUSHIONS (BIG FRONT ONE ONLY)
 SCALETTA/LADDER - SERBATOIO BENZINA/FUEL TANK (CIRCA/APPROX 65 LT)
 TELO RICOVERO/BOAT STORAGE COVER



Cantieri Capelli S.r.l.
 Via delle industrie, 19 - 26020 Spinadesco - Cremona (Italy)
 Tel. +39 0372 491399
 E-mail: info@cantiericapelli.it - Web: www.cantiericapelli.it



Tutte le caratteristiche relative all'intera gamma non sono vincolanti. Cantieri Capelli si riserva il diritto di modificarle senza preavviso. Le imbarcazioni raffigurate possono essere equipaggiate con accessori optional.
 All features and data concerning our whole production are not binding. The shipyard Capelli reserves the right to modify them without advance notice. The boats shown can be equipped with additional options.